	Application No.	Applicant(s)	- ff
	09/771,322	SAXENA ET AL.	
Notice of Allowability	Examiner	Art Unit	·
	Mark Connolly	2115	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1.	S IS (OR REMAINS) CLOSED ir -85) or other appropriate commu T RIGHTS. This application is s	n this application. If not included unication will be mailed in due co	ourse. THIS
1. \boxtimes This communication is responsive to <u>amendments filed</u>	<u>d 21 June 2004</u> .		
2. 🛮 The allowed claim(s) is/are <u>1-19</u> .			
3. \boxtimes The drawings filed on <u>26 January 2001</u> are accepted b	y the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priorit a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents h 2. ☐ Certified copies of the priority documents h 3. ☐ Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	nave been received. nave been received in Applicatio	on No	on from the
Applicant has THREE MONTHS FROM THE "MAILING DA' noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requ	irements
5. A SUBSTITUTE OATH OR DECLARATION must be su INFORMAL PATENT APPLICATION (PTO-152) which			TICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") (a) including changes required by the Notice of Drafts 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Exami Paper No./Mail Date ldentifying indicia such as the application number (see 37 Cleach sheet. Replacement sheet(s) should be labeled as such	person's Patent Drawing Review ner's Amendment / Comment or FR 1.84(c)) should be written on the in the header according to 37 CF	r in the Office action of the drawings in the front (not the b R 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREME 	EPOSIT OF BIOLOGICAL MATE INT FOR THE DEPOSIT OF BIO	ERIAL MUST DE SUDMITTED. NO DLOGICAL MATERIAL.	te the
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/5 Paper No./Mail Date 21 June 2004) 4. ☐ Examiner's Comment Regarding Requirement for Depo of Biological Material 	48) 6. ☐ Interview St Paper No./ SB/08), 7. ☑ Examiner's sit 8. ☐ Examiner's 9. ☐ Other	formal Patent Application (PTO- ummary (PTO-413), /Mail Date Amendment/Comment Statement of Reasons for Allow THOMAS LEE PERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100	ance

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)

Notice of Allowability

Part of Paper No./Mail Date 08052004



Application/Control Number: 09/771,322

Art Unit: 2115

Page 2

DETAILED ACTION

1. Pursuant to MPEP 606.1, the title has been changed to read:

-- A SYSTEM AND METHOD FOR ESTIMATING POWER CONSUMPTION OF

A CIRCUIT THOURGH THE USE OF AN ENERGY MACRO TABLE --

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Connolly whose telephone number is (703) 305-7849. The examiner can normally be reached on M-F 8AM-5PM (except every first Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas C Lee can be reached on (703) 305-9717. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark Connolly Examiner Art Unit 2115

mc

August 5, 2004

THOMAS LEE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

Best Available Copy